

Rittal – The System.

Faster – better – everywhere.

► Terminal boxes KL Stainless steel – KL 1525.010

Date : Mar 31, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Terminal boxes KL Stainless steel – KL 1525.010

created: 31.03.2020 build on www.rittal.com/uk-en



Product description

Material: Enclosure: Stainless steel 1.4301 (AISI 304)
Cover: Stainless steel 1.4301 (AISI 304), all-round foamed-in PU seal

Surface finish: Enclosure and cover: Brushed, grain 180

**Protection category
IP to IEC 60 529:** IP 66

**Protection category
NEMA:** NEMA 4X

IK Code: IK08

Supply includes: Enclosure with cover
Quick-release fastener including plastic bushes

Basic material: Stainless steel

Product features

Dimensions: Width: 400 mm
Height: 200 mm
Depth: 120 mm

Material thickness: Enclosure: 1.25 mm
Cover: 1.25 mm

Number of locks: 4

Packs of: 1 pc(s).

Weight/pack:	3.6 kg
EAN:	4028177008526
Customs tariff number:	85389099
ETIM 7.0:	EC002713
ETIM 6.0:	EC002713
eCl@ss 8.0/8.1:	27180101
eCl@ss 6.0/6.1:	27180101
Product description:	KL Terminal box, WHD: 400x200x120 mm, Stainless steel 1.4301, without mounting plate, with cover, without gland plate
Approvals	
Approvals:	Bureau Veritas CSA Lloyds Register of Shipping Russian Maritime Register of Shipping TÜV UL + C-UL
Certificates:	EAC IK-Code Protection category
Declarations:	Declaration of conformity