

# Rittal – The System.

Faster – better – everywhere.

## ► Baying enclosure system VX25 Basic enclosure – VX 8206.000

Date : Jul 23, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Baying enclosure system VX25 Basic enclosure – VX 8206.000

created: 23.07.2018 build on [www.rittal.com/uk-en](http://www.rittal.com/uk-en)



## Product description

|  |  |
|--|--|
| <b>Material:</b>                                 | Enclosure frame: Sheet steel, 1.5 mm<br>Roof: Sheet steel, 1.5 mm<br>Door: Sheet steel, 2.0 mm<br>Rear panel: Sheet steel, 1.5 mm<br>Gland plates: Sheet steel, 1.5 mm<br>Mounting plate: Sheet steel 3.0 mm |
| <b>Surface finish:</b>                           | Enclosure frame: Dipcoat-primed<br>Door, roof and rear panel: Dipcoat-primed, powder-coated on the outside, textured paint   |
| <b>Colour:</b>                                   | RAL 7035   |
| <b>Protection category<br/>IP to IEC 60 529:</b> | IP 55  |
| <b>Protection category<br/>NEMA:</b>             | NEMA 12  |
| <b>IK Code:</b>                                  | IK10   |
| <b>Supply includes:</b>                          | Enclosure frame<br>Door(s)<br>Door hinged on the right, may be swapped to the left<br>Roof plate<br>Rear panel<br>Gland plates<br>Mounting plate<br>2 punched rails 18 x 39 mm<br>Lock: 3 mm double-bit      |
| <b>Basic material:</b>                           | Sheet steel  |

## Product features

|                                    |   |
|------------------------------------|---|
| <b>Dimensions:</b>                 | Width: 1200 mm<br>Height: 2000 mm<br>Depth: 600 mm  |
| <b>Mounting plate:</b>             | Width: 1099 mm<br>Height: 1896 mm   |
| <b>Number of doors:</b>            | 2   |
| <b>Packs of:</b>                   | 1 pc(s).  |
| <b>Weight/pack:</b>                | 194.6 kg  |
| <b>EAN:</b>                        | 4028177813601   |
| <b>Customs tariff number:</b>      | 94032080  |
| <b>ETIM 6.0:</b>                   | EC000261  |
| <b>ETIM 5.0:</b>                   | EC000261  |
| <b>eCl@ss 8.0/8.1:</b>             | 27180101  |
| <b>eCl@ss 7.0/7.1:</b>             | 27180101  |
| <b>eCl@ss 6.0/6.1:</b>             | 27180101  |
| <b>eCl@ss 5.1/5.1.4:</b>           | 27180101  |
| <b>Product description (long):</b> | VX Baying enclosure system, WHD: 1200x2000x600 mm, sheet steel, with mounting plate, two doors at the front |

## Approvals

|                      |   |
|----------------------|---|
| <b>Approvals:</b>    | CSA<br>Lloyds Register of Shipping<br>UL + C-UL |
| <b>Certificates:</b> | IK-Code   |
| <b>Declarations:</b> | Declaration of conformity                       |