

**Screwdriver
SDIK PZ2 SL**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com



VDE insulated screwdriver sets, for working on live parts up to 1000 V AC and 1500 V DC, DIN EN 60900. IEC 900. Each piece is "GS" safety tested. Blade made from fully hardened, high-alloy chromium-vanadium-molybdenum steel, gun-metal finish.

General ordering data

Type	SDIK PZ2 SL
Order No.	1274740000
Version	Mounting tool, Blade length: 100 mm
GTIN (EAN)	4050118073218
Qty.	1 pc(s).

Data sheet

**Screwdriver
SDIK PZ2 SL**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	218 mm	Width (inches)	8.583 inch
Net weight	100 g	Diameter	36 mm

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Screwing tools

Blade length	100 mm	Blade size, crosshead	Gr. PZ2
Form	Pozidrive	Size	2

Classifications

ETIM 6.0	EC000144	ETIM 7.0	EC000144
eClass 9.0	21-04-04-06	eClass 9.1	21-04-04-06
eClass 10.0	21-04-04-06		

Approvals

Approvals



Downloads

Approval/Certificate/Document of Conformity	Manufacturer's Declaration - Screwdrivers
Brochure/Catalogue	CAT 6 TOOLS 15/16 EN CAT 5 ENCL 17/18 EN

Data sheet

**Screwdriver
SDIK PZ2 SL**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

Example of use

